
IN THE CLAIMS

(currently amended) A process for augmenting, enhancing or imparting an aroma in or to a consumable material selected from the group consisting of perfume compositions, perfumed


articles, colognes and perfume polymers, comprising the step of intimately admixing with a consumable material base an aroma augmenting, enhancing or imparting quantity and the following a structure selected from the group consisting of:

10
$$\mathbb{R}_6$$
 \mathbb{R}_4 \mathbb{R}_3 \mathbb{R}_5 and \mathbb{R}_5 \mathbb{R}_5 \mathbb{R}_5 \mathbb{R}_5

wherein Z is a moiety selected from the group consisting of:



and wherein one of R_1 or R_3 is methyl and the other is hydrogen; wherein R_4 , R_5 , R_6 , R_7 , R_8 and R_9 are hydrogen or nonadjacent C_1 - C_3 alkyl; wherein Y is C_2 - C_{12} substituted or unsubstituted alkylidenyl, alkenylidenyl or alkadienylidenyl having the structure:



and completes a C₅ C₁₅ eyeloalkyl, cycloalkadienyl or cycloalkenyl ring moiety; wherein R₁₂, R₁₃, R₁₄, R₁₆, R₁₇, R₂₈, R₂₉, R₃₀ and R₃₁ each represents hydrogen or C₁-C₃ nonadjacent alkyl; wherein the dashed line represents a carbon carbon single bond or a carbon earbon double bond; wherein s is an integer of from 0 up to 10; t is an integer of from 0 up to 10; wherein the sum of s and t is an integer of from 0 up to 10 defined according to the inequalities: 0 ≤ s + t ≤ 10; 0 ≤ s ≤ 10; and 0 ≤ t ≤ 10; and wherein v 1 or 2.

Claim 2.

(previously presented) The process of Claim 1 wherein the bicyclic lactone has a structure selected from the group consisting of:

Claim 3. (canceled

5


(currently amended) A perfumed article comprising a perfumed article base and an aroma augmenting, enhancing or imparting quantity and concentration of a bicyclic lactone having the following a structure selected from the group consisting of:

$$R_6$$
 R_4
 R_5
 R_3
 R_1
 R_1
 R_2
 R_3


20

wherein Z is a moiety selected from the group consisting of:


25



and



and wherein one of R₁ or R₃ is methyl and the other is hydrogen; wherein R₄, R₅, R₆, R₇, R₈ and R₉ are hydrogen or nonadjacent C₁-C₃ alkyl+, wherein Y is C₂-C₁₂ substituted or unsubstituted alkylidenyl, alkenylidenyl or alkadienylidenyl having the structure:




and completes a C_3 C_{13} cycloalkyl, cycloalkadienyl or cycloalkenyl ring moiety; wherein R_{12} , R_{13} , R_{14} , R_{16} , R_{17} , R_{28} , R_{29} , R_{30} and R_{31} each represents hydrogen or C_1 - C_3 nonadjacent alkyl; wherein the dashed line represents a carbon carbon single bond or a carbon carbon double bond; wherein s is an integer of from 0 up to 10; t is an integer of from 0 up to 10; wherein the sum of s and t is an integer of from 0 up to 10 defined according to the inequalities: $0 \le s + t \le 10$; $0 \le s \le 10$; and $0 \le t \le 10$; and wherein $v + t \le 10$.


(currently amended) A perfumed polymer comprising a microporous polymer and contained in the interstices thereof an aroma augmenting, enhancing or imparting quantity and concentration of a bicyclic lactone having a structure selected from the group consisting of:

5
$$R_6$$
 R_4
 R_3
 R_{16}
 R_{16}
 R_{16}
 R_{16}

wherein Z is a moiety selected from the group consisting of:



and wherein one of R_1 or R_3 is methyl and the other is hydrogen; wherein R_4 , R_5 , R_6 , R_7 , R_8 and R_9 are hydrogen or nonadjacent C_1 - C_3 alkyliquence wherein Y is C_2 - C_{12} substituted or unsubstituted alkylidenyl, alkenylidenyl or alkadienylidenyl having the structure:



and completes a C₃-C₁₅ cycloalkyl, cycloalkadienyl or cycloalkenyl ring moiety; wherein R₁₂, R₁₃, R₁₄, R₁₆, R₁₇, R₂₈, R₂₉, R₃₀ and R₃₁ each represents hydrogen or C₁-C₃ nonadjacent alkyl; wherein the dashed line represents a carbon carbon single bond or a carbon carbon double bond; wherein s is an integer of from 0 up to 10; t is an integer of from 0 up to 10; wherein the sum of s and t is an integer of from 0 up to 10 defined according to the inequalities: 0 ≤ s + t ≤ 10; 0 ≤ s ≤ 10, and 0 ≤ t ≤ 10; and wherein v 1 or 2.

(currently amended) A perfume composition comprising a perfume base and intimately admixed therewith an aroma augmenting, enhancing or imparting quantity of a bicyclic lactone having structure selected from the group consisting of:


$$R_{6} \longrightarrow R_{4} \longrightarrow R_{5} \longrightarrow R_{5$$

wherein Z is a moiety selected from the group consisting of:

5


10

20



and wherein one of R₁ or R₃ is methyl and the other is hydrogen; wherein R₄, R₅, R₆, R₇, R₈ and R₉ are hydrogen or nonadjacent C₁-C₃ alkylet wherein Y is C₂-C₁₂ substituted or unsubstituted alkylidenyl, alkenylidenyl or alkadienylidenyl having the structure.

5



- and completes a C₅-C₁₅ cycloalkyl, cycloalkadienyl or cycloalkenyl ring moiety; wherein R₁₃, R₁₄, R₁₆, R₁₇, R₂₈, R₂₉, R₃₀ and R₃₁ each represents hydrogen or C₁-C₃ nonadjacent alkyl; wherein the dashed line represents a carbon carbon single bond or a carbon carbon double bond; wherein s is an integer of from 0 up to 10; t is an integer of from 0 up to 10; wherein the sum of s and t is an integer of from 0 up to 10 defined according to the inequalities: $0 \le s + t \le 10$; and $0 \le t \le 10$; and $0 \le t \le 10$; and wherein v 1 or 2.
- previously presented) The process of Claim 1 wherein the consumable material is a detergent composition or a fabric softener composition.
- previously presented) The process of Claim 2 wherein the consumable material is a detergent composition or a fabric softener composition.

Claim 9, (canceled).

Claim 10. (currently amended) A bicyclic lactone having a structure selected from the group consisting of:

15

Claim II. (canceled),

20

Claim 12. (canceled).

Claim 13.

(previously presented) A process for the preparation of a bicyclic lactone comprising the steps of carrying out the reaction sequence in order:

10

$$R_4$$
 R_5
 R_6
 R_8
 R_8
 R_8
 R_8
 R_8

$$\begin{array}{c|c} X \\ R_1 \\ R_2 \\ R_3 \\ R_4 \\ R_5 \\ R_6 \end{array}$$

$$\begin{array}{c} X \\ R_3 \\ R_4 \\ R_5 \\ R_7 \\ R_8 \end{array} + \begin{bmatrix} H_3 O^{\oplus} \end{bmatrix} - \begin{bmatrix} H$$

10

5

$$R_{5}$$
 R_{4} R_{5} R_{4}


20

$$R_{s}$$
 R_{s}
 R_{s}

; and

$$R_s$$
 R_s
 R_s
 R_s
 R_s
 R_s
 R_s
 R_s
 R_s
 R_s

and isolating the resulting bicyclic lactone wherein Z is a moiety selected from the group consisting of:



and wherein one of R_1 or R_3 is methyl and the other is hydrogen; wherein R_4 , R_5 , R_6 , R_7 , R_8 and R_9 are hydrogen or nonadjacent C_1 - C_3 alkyl; and wherein R_2 represents C_1 - C_4 alkyl.

Claim 14.

5